

## ELECTRIC PIZZA OVEN WITH FULL REFRACTORY STONE CHAMBER, 2 CHAMBERS 1020X1035X150 MM - DIGITAL HDS99

Ref: 1040.775.022  
 Magnus



Possibility to prop a single oven on top of a double oven with the same chamber capacity, without the need for an exhauster connection or overlay kit/accessories (for example: HDS4 on top of HDS44).

Electric pizza oven was designed in order to combine high levels of performance and reliability with an innovative design.

It has a steel front, pre-painted body, steel door with glass, a knob for opening and closing the steam exhauster, non-thermal handles and an electronic card that is used to program the start, end of baking and two work settings (continuous/P2 and non-continuous/P1).

Double lighting low voltage (12V).

Refractory bricks with elements at sight on the top and refractory bricks with **ACTIVESTONE®** heating on the bottom.

### FEATURES

Dimensions (WDH)	1440x1360x720 mm
Chamber dimensions (WDH)	2x 1020x1035x150 mm
Total power	26.64 kW
Upper power per chamber	8.1 kW
Lower power per chamber	5.22 kW
Power supply	400V/3/50Hz
Pizza capacity (Ø 34 cm)	9 + 9 un.
Temperature	450 °C
Weight	372 kg
Gross weight	0,01 kg